

IntegrityError at /admin/td_lab/maternalrequisition/add/

(1062, "Duplicate entry " for key 'requisition_identifier'")

Request Method: POST

Request URL: http://ttest.bhp.org.bw:8001/admin/td_lab/maternalrequisition/add/?next=subject_dashboard_url&dashboard_type=maternal&dashboard_model=visit&dashboard_id=dc25874b-dca6-40b4-8e28-fdcee6598f0e&show=forms&maternal_visit=dc25874b-dca6-40b4-8e28-fdcee6598f0e&visit_attr=maternal_visit&entry_order=&group_title=&panel=1&aliquote_type=1

Django Version: 1.9.2

Exception Type: IntegrityError

Exception Value: (1062, "Duplicate entry " for key 'requisition_identifier'")

Exception Location: /home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/connections.py in query, line 280

Python Executable: /home/django/.virtualenvs/td_protocol_changes/bin/python

Python Version: 3.5.2

Python Path: ['/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/git/ext/gitdb',
'/home/django/source/protocol-changes/tshilo-dikotla',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5.zip',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/plat-x86_64-linux-gnu',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/lib-dynload',
'/usr/lib/python3.5',
'/usr/lib/python3.5/plat-x86_64-linux-gnu',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages',
'/home/django/.virtualenvs/td_protocol_changes/src/django-crypto-fields',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-base',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-call-manager',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-code-lists',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-configuration',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-constants',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-content-type-map',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-data-manager',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-death-report',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-device',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-export',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-identifier',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-lab',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-locator',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-meta-data',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-notification',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-offstudy',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-quota',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-registration',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-rest',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-rule-groups',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-sync-files',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-sync',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-templates',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-testing',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-visit-schedule',
'/home/django/.virtualenvs/td_protocol_changes/src/lab-requisition',
'/home/django/.virtualenvs/td_protocol_changes/src/lis',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-visit-tracking',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-consent',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-dashboard',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-appointment',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/gitdb/ext/smmap']

Server time: Mon, 28 May 2018 15:05:21 +0200

Traceback [Switch to copy-and-paste view](#)

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/backends/utils.py in execute
64.         return self.cursor.execute(sql, params) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/backends/mysql/base.py in execute
112.         return self.cursor.execute(query, args) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in execute
226.         self.errorhandler(self, exc, value) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/connections.py in defaulterrorhandler
36.         raise errorvalue ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in execute
217.         res = self._query(query) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in _query
378.         rowcount = self._do_query(q) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in _do_query
341.         db.query(q) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/connections.py in query
280.         _mysql.connection.query(self, query) ...
▶ Local vars
```

The above exception ((1062, "Duplicate entry " for key 'requisition_identifier')) was the direct cause of the following exception:

```

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/core/handlers/base.py in get_response
    149.             response = self.process_exception_by_middleware(e, request) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/core/handlers/base.py in get_response
    147.             response = wrapped_callback(request, *callback_args, **callback_kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/contrib/admin/options.py in wrapper
    541.             return self.admin_site.admin_view(view)(*args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/utils/decorators.py in _wrapped_view
    149.             response = view_func(request, *args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/views/decorators/cache.py in _wrapped_view_func
    57.             response = view_func(request, *args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/contrib/admin/sites.py in inner
    244.             return view(request, *args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/src/edc-base/edc_base/modeladmin/mixins.py in add_view
    341.             request, form_url=form_url, extra_context=extra_context) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/contrib/admin/options.py in add_view
    1437.            return self.changeform_view(request, None, form_url, extra_context) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/utils/decorators.py in _wrapper
    67.             return bound_func(*args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/utils/decorators.py in _wrapped_view
    149.             response = view_func(request, *args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/utils/decorators.py in bound_func
    63.             return func.__get__(self, type(self))(*args2, **kwargs2) ...

▶ Local vars

/usr/lib/python3.5/contextlib.py in inner
    30.             return func(*args, **kws) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/contrib/admin/options.py in changeform_view
    1378.            self.save_model(request, new_object, form, not add) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/src/edc-base/edc_base/modeladmin/mixins.py in save_model
    358.            super(ModelAdminAuditFieldsMixin, self).save_model(request, obj, form, change) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/contrib/admin/options.py in save_model
    991.            obj.save() ...

▶ Local vars

/home/django/source/protocol-changes/tshilo-dikotla/td_lab/models/maternal_requisition.py in save
    60.            super(RequisitionModelMixin, self).save(*args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/src/edc-base/edc_base/model/models/base_model.py in save
    57.            super(BaseModel, self).save(*args, **kwargs) ...

▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/base.py in save
    700.            force_update=force_update, update_fields=update_fields) ...

▶ Local vars

```

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/base.py in save_base
728.         updated = self._save_table(raw, cls, force_insert, force_update, using, update_fields) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/base.py in _save_table
812.         result = self._do_insert(cls._base_manager, using, fields, update_pk, raw) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/base.py in _do_insert
851.             using=using, raw=raw) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/manager.py in manager_method
122.         return getattr(self.get_queryset(), name)(*args, **kwargs) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/query.py in _insert
1039.        return query.get_compiler(using=using).execute_sql(return_id) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/sql/compiler.py in execute_sql
1060.        cursor.execute(sql, params) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/backends/utils.py in execute
79.        return super(CursorDebugWrapper, self).execute(sql, params) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/backends/utils.py in execute
64.        return self.cursor.execute(sql, params) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/utils.py in _exit__
95.        six.reraise(dj_exc_type, dj_exc_value, traceback) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/utils/six.py in reraise
685.        raise value.with_traceback(tb) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/backends/utils.py in execute
64.        return self.cursor.execute(sql, params) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/backends/mysql/base.py in execute
112.        return self.cursor.execute(query, args) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in execute
226.        self.errorhandler(self, exc, value) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/connections.py in defaulterrorhandler
36.        raise errorvalue ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in execute
217.        res = self._query(query) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in _query
378.        rowcount = self._do_query(q) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/cursors.py in _do_query
341.        db.query(q) ...
▶ Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/MySQLdb/connections.py in query
280.        _mysql.connection.query(self, query) ...
▶ Local vars
```

Request information

GET

Variable	Value
maternal_visit	'dc25874b-dca6-40b4-8e28-fdcee6598f0e'
next	'subject_dashboard_url'
dashboard_type	'maternal'
dashboard_model	'visit'
dashboard_id	'dc25874b-dca6-40b4-8e28-fdcee6598f0e'
show	'forms'
visit_attr	'maternal_visit'
aliquot_type	'1'
entry_order	''
panel	'1'
group_title	''

POST

Variable	Value
requisition_datetime_0	'2018-05-28'
item_count_total	'1'
priority	'normal'
aliquot_type	'1'
comments	''
reason_not_drawn	''
reason_not_drawn_other	''
is_drawn	'Yes'
panel	'1'
requisition_datetime_1	'15:04:58'
item_type	'tube'
drawn_datetime_1	'15:05:01'
maternal_visit	'dc25874b-dca6-40b4-8e28-fdcee6598f0e'
_save	'Save'
drawn_datetime_0	'2018-05-28'
csrfmiddlewaretoken	'xLGvm97IJvH1ypZg7R9Csm05nKInv442'
study_site	'40'
estimated_volume	'5.0'

FILES

No FILES data

COOKIES

Variable	Value
csrftoken	'xLGvm97IJvH1ypZg7R9Csm05nKInv442'
sessionid	'4eyqg7jr7ai9r945o6jleq9up162p5nn'

META

Variable	Value
wsgi.multiprocess	False
PATH	'/home/django/.virtualenvs/td_protocol_changes/bin:/home/django/.virtualenvs/td_protocol_changes/b
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_13_4) AppleWebKit/537.36 (KHTML, ' 'like Gecko) Chrome/66.0.3359.181 Safari/537.36')
HOME	'/home/django'
wsgi.input	<_io.BufferedReader name=10>
wsgi.url_scheme	'http'
REMOTE_HOST	''
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_HOST	'tdtest.bhp.org.bw:8001'
TERMCAP	('SC screen.xterm-256color VT 100/ANSI X3.64 virtual terminal:\n\n' '\t:DO=\E[&dB:LE=\E[&dC:RI=\E[&dC:UP=\E[&dA:bs:bt=\E[Z:\n\n' '\t:cd=\E[J:ce=\E[K:cl=\E[H]\E[J:cm=\E[&i&d;&dH:ct=\E[3g:\n\n' '\t:do=^J:nd=\E[C:pt:rc=\E[8:rs=\E[c:sc=\E[7:st=\E[H:up=\E[M:\n\n' '\t:le="H:bl="G:cr="M:it#8:ho=\E[H:nw=\E[E:ta="I:is=\E[0:\n\n' '\t:li#37:co#116:am:xn:xv:LP:sr=\E[M:al=\E[L:AL=\E[&dL:\n\n' '\t:cs=\E[&i&d;&dr:dl=\E[M:DL=\E[&dM:dc=\E[P:DC=\E[&dp:\n\n' '\t:im=\E[4h:ei=\E[4l:mi:IC=\E[&d@:ks=\E[?1h\E=\n\n' '\t:ke=\E[?1l\E>:vi=\E[?25l:ve=\E[34h\E[?25h:vs=\E[34l:\n\n' '\t:ti=\E[?1049h:te=\E[?1049l:us=\E[4m:ue=\E[24m:so=\E[3m:\n\n' '\t:se=\E[23m:mb=\E[5m:md=\E[1m:mh=\E[2m:mr=\E[7m:\n\n' '\t:me=\E[m:ms:\n\n' '\t:Co#8:pa#64:AF=\E[3&dm:AB=\E[4&dm:op=\E[39;49m:AX:\n\n' '\t:vb=\E[g:G0:as=\E[0:ae=\E[B:\n\n' '\t' '\t:ac=\140\140aaffggjjkllmmnnooppqrrssttuuvvwxxyyz{ }~--.--+++,hhII00:\n\n' '\t:po=\E[5i:pf=\E[4i:K=:\E[M:k0=\E[10~:k1=\E[OP:k2=\E[EQ:\n\n' '\t:k3=\E[EO:k4=\E[EO:k5=\E[15~:k6=\E[17~:k7=\E[18~:\n\n' '\t:k8=\E[19~:k9=\E[20~:k;=\E[21~:F1=\E[23~:F2=\E[24~:\n\n' '\t:F3=\E[1;2P:F4=\E[1;2Q:F5=\E[1;2R:F6=\E[1;2S:\n\n' '\t:F7=\E[15;2~:F8=\E[17;2~:F9=\E[18;2~:FA=\E[19;2~:kb=\x7f:\n\n' '\t:K2=\E[EO:kB=\E[Z:kF=\E[1;2B:kR=\E[1;2A:*4=\E[3;2~:\n\n' '\t:*7=\E[1;2F:#2=\E[1;2H:#3=\E[2;2~:#4=\E[1;2D:%c=\E[6;2~:\n\n' '\t:%e=\E[5;2~:%i=\E[1;2C:kh=\E[1~:el=\E[1~:kH=\E[4~:\n\n' '\t:@7=\E[4~:kN=\E[6~:kP=\E[5~:kI=\E[2~:kD=\E[3~:ku=\E[EOA:\n\n' '\t:kd=\E[EOB:kr=\E[EOC:kl=\E[EOD:km:')
VIRTUALENVWRAPPER_PROJECT_FILENAME	'project'
XDG_SESSION_ID	'3'
SERVER_PROTOCOL	'HTTP/1.1'
LESSOPEN	' /usr/bin/lesspipe %s'
VIRTUALENVWRAPPER_SCRIPT	'/usr/local/bin/virtualenvwrapper.sh'
PWD	'/home/django/source/protocol-changes/tshilo-dikotla'
SERVER_SOFTWARE	'WSGIServer/0.2'
TERM	'screen.xterm-256color'
WINDOW	'0'
CONTENT_TYPE	'multipart/form-data; boundary=----WebKitFormBoundaryNB1phiqW8XnEidub'
SHLVL	'2'
CONTENT_LENGTH	'1983'
RUN_MAIN	'true'
MAIL	'/var/mail/django'
HTTP_CACHE_CONTROL	'max-age=0'
LANG	'en_US.UTF-8'
SCRIPT_NAME	''

Variable	Value
QUERY_STRING	'next=subject_dashboard_url&dashboard_type=maternal&dashboard_model=visit&dashboard_id=dc25874b-dc
REMOTE_ADDR	'10.113.200.68'
LESSCLOSE	'/usr/bin/lesspipe %s %s'
LS_COLORS	'rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:mi=00
STY	'1589.protocol-changes'
REQUEST_METHOD	'POST'
USER	'django'
PATH_INFO	'/admin/td_lab/maternalrequisition/add/'
VIRTUAL_ENV	'/home/django/.virtualenvs/td_protocol_changes'
HTTP_REFERER	'http://tdtest.bhp.org.bw:8001/admin/td_lab/maternalrequisition/add/?next=subject_dashboard_url&a
wsgi.errors	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'>
GATEWAY_INTERFACE	'CGI/1.1'
_	'/home/django/.virtualenvs/td_protocol_changes/bin/python'
SERVER_NAME	'tdtest.bhp.org.bw'
LOGNAME	'django'
VIRTUALENVWRAPPER_HOOK_DIR	'/home/django/.virtualenvs'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8'
VIRTUALENVWRAPPER_WORKON_CD	'1'
PS1	'(td_protocol_changes) \\u@\\h:\\w\$(parse_git_branch)\\\$'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
SSH_CONNECTION	'10.113.201.180 51166 10.113.200.77 22'
DJANGO_SETTINGS_MODULE	'tshilo_dikotla.settings'
wsgi.multithread	True
HTTP_ACCEPT_ENCODING	'gzip, deflate'
CSRF_COOKIE	'xLGvm97IJvHlypZg7R9Csm05nKInv442'
SERVER_PORT	'8001'
SSH_CLIENT	'10.113.201.180 51166 22'
HTTP_CONNECTION	'keep-alive'
SSH_TTY	'/dev/pts/0'
XDG_RUNTIME_DIR	'/run/user/1000'
wsgi.file_wrapper	''
wsgi.run_once	False
WORKON_HOME	'/home/django/.virtualenvs'
HTTP_COOKIE	('csrftoken=xLGvm97IJvHlypZg7R9Csm05nKInv442; 'sessionid=4eyqg7jr7ai9r945o6jleq9up162p5nn')
wsgi.version	(1, 0)
SHELL	'/bin/bash'
HTTP_ORIGIN	'http://tdtest.bhp.org.bw:8001'
TZ	'Africa/Gaborone'

Settings

Using settings module tshilo_dikotla.settings

Setting	Value
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [Path('/home/django/source/protocol-changes/tshilo-dikotla/tshilo_dikotla/templates')], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
LOGGING_CONFIG	'logging.config.dictConfig'
CSRF_COOKIE_SECURE	False
USE_L10N	True
SECURE_HSTS_SECONDS	0
ROOT_URLCONF	'tshilo_dikotla.urls'
EMAIL_HOST_PASSWORD	'*****'
TEMPLATE_DEBUG	False
MIDDLEMAN_DEVICE_ID_LIST	[98]
EMAIL_USE_TLS	False
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
DEVELOPER_HOSTS	['leslie']
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
DATE_FORMAT	'N j, Y'
LOGOUT_URL	'/td/logout/'
DEVICE_ID	99
DECIMAL_SEPARATOR	'.'
SESSION_COOKIE_PATH	'/'
PREPEND_WWW	False
SESSION_COOKIE_HTTPONLY	True
LOCALE_PATHS	[]
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_STUDY_SITE	'40'
REST_FRAMEWORK	{'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework.authentication.TokenAuthentication',), 'PAGE_SIZE': 1}
LASTEST_VERSION	'3'
TIME_FORMAT	'p'
LOGIN_URL	'/td/login/'
BASE_DIR	Path('/home/django/source/protocol-changes/tshilo-dikotla/tshilo_dikotla')
MINIMUM_AGE_OF_CONSENT	18
SESSION_CACHE_ALIAS	'default'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
PRODUCTION_POSTGRES	{'default': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.mysql', 'HOST': '', 'OPTIONS': {'read_default_file': Path('/home/django/source/protocol-changes/etc/default.cnf')}, 'PORT': ''}}
LANGUAGE_COOKIE_AGE	None

Setting	Value
INSTITUTION	'Botswana-Harvard AIDS Institute'
USE_X_FORWARDED_HOST	True
EMAIL_SUBJECT_PREFIX	'[Django] '
SECRET_KEY	'*****'
PROJECT_TITLE	'Tshilo Dikotla'
DISPATCH_APP_LABELS	[]
LOGIN_REDIRECT_URL	'/td/'
PROJECT_IDENTIFIER_PREFIX	'085'
CSRF_COOKIE_DOMAIN	None
MONTH_DAY_FORMAT	'F j'
PROTOCOL_NUMBER	'085'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
APPEND_SLASH	True
SESSION_COOKIE_NAME	'sessionid'
AUTH_PROFILE_MODULE	'bhp_userprofile.userprofile'
PREVIOUS_CONSENT_VERSION	'1'
FILE_CHARSET	'utf-8'
LANGUAGE_COOKIE_PATH	'/'
INTERNAL_IPS	[]
CACHE_MIDDLEWARE_ALIAS	'default'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
ALLOWED_HOSTS	[]
TEST_HOSTS_POSTGRES	{'default': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.postgresql_psycopg2', 'HOST': '', 'NAME': 'td', 'PASSWORD': '*****', 'PORT': '', 'USER': 'django'}, 'lab_api': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.postgresql_psycopg2', 'HOST': '', 'NAME': 'td_lab', 'PASSWORD': '*****', 'PORT': '', 'USER': 'django'}}
EMAIL_SSL_CERTFILE	None
TEMPLATE_DIRS	()
SHORT_DATE_FORMAT	'm/d/Y'
PRODUCTION_SECRET_KEY	'*****'
PASSWORD_HASHERS	'*****'
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
EMAIL_PORT	25
EMAIL_HOST_USER	''
DEFAULT_FROM_EMAIL	'webmaster@localhost'
FIRST_DAY_OF_WEEK	0
EMAIL_SSL_KEYFILE	'*****'
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
ALLOW_MODEL_SERIALIZATION	True
SUBJECT_TYPES	['maternal', 'infant']
SERVER_EMAIL	'root@localhost'
CACHE_MIDDLEWARE_SECONDS	600
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
IS_SECURE_DEVICE	True
GENDER_OF_CONSENT	['F']
MAX_SUBJECTS	{'infant': 499, 'maternal': 499}
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.mysql', 'HOST': '', 'NAME': '', 'OPTIONS': {'read_default_file': Path('/home/django/source/protocol-changes/etc/mysql.conf')}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
PROJECT_IDENTIFIER_MODULUS	7
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M', '%m/%d/%y']
CRISPY_TEMPLATE_PACK	'bootstrap3'

Setting	Value
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
FORMAT_MODULE_PATH	None
AUTH_USER_MODEL	'auth.User'
MANAGERS	[]
STATIC_URL	'/static/'
DATETIME_FORMAT	'N j, Y, P'
AUTH_PASSWORD_VALIDATORS	'*****'
FIELD_MAX_LENGTH	'default'
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
TEST_RUNNER	'django.test.runner.DiscoverRunner'
SECURE_PROXY_SSL_HEADER	None
EMAIL_USE_SSL	False
USE_I18N	True
USE_THOUSAND_SEPARATOR	False
PROJECT_DIR	Path('/home/django/source/protocol-changes/tshilo-dikotla/tshilo_dikotla')
MAXIMUM_AGE_OF_CONSENT	64
LABEL_PRINTER_MAKE_AND_MODEL	['Zebra ZPL Label Printer']
ABSOLUTE_URL_OVERRIDES	{}
TEST_NON_SERIALIZED_APPS	[]
NUMBER_GROUPING	0
MEDIA_URL	''
DEFAULT_TABLESPACE	''
STUDY_OPEN_DATETIME	datetime.datetime(2015, 10, 18, 0, 0)
SECURE_REDIRECT_EXEMPT	[]
MIGRATION_MODULES	{}
EMAIL_HOST	'localhost'
USE_TZ	False
SOURCE_ROOT	Path('/home/django/source/protocol-changes/tshilo-dikotla')
EMAIL_TIMEOUT	None
SESSION_COOKIE_DOMAIN	None
LANGUAGE_CODE	'en'
KEY_PATH	'*****'
FILE_UPLOAD_PERMISSIONS	None
CSRF_TRUSTED_ORIGINS	[]
CORS_ORIGIN_ALLOW_ALL	True
ADMINS	[]
TIME_ZONE	'Africa/Gaborone'
FILE_UPLOAD_TEMP_DIR	None
CELLPHONE_REGEX	'^[7]{1}[12345678]{1}[0-9]{6}\$'
DEBUG	True
USE_X_FORWARDED_PORT	False
SESSION_COOKIE_AGE	1209600
CSRF_COOKIE_HTTPONLY	False
DATABASE_ROUTERS	[]
ALLOWED_INCLUDE_ROOTS	[]
WSGI_APPLICATION	'tshilo_dikotla.wsgi.application'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
MEDIA_ROOT	Path('/home/django/source/protocol-changes/tshilo-dikotla/tshilo_dikotla/media')
CSRF_COOKIE_NAME	'csrftoken'
LOGGING	{}
TEMPLATE_STRING_IF_INVALID	''
MIDDLEWARE_CLASSES	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.locale.LocaleMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.auth.middleware.SessionAuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware', 'simple_history.middleware.HistoryRequestMiddleware']
LIVE_SERVER	'td.bhp.org.bw'
FIXTURE_DIRS	[]
YEAR_MONTH_FORMAT	'F Y'
DEBUG_PROPAGATE_EXCEPTIONS	False
GIT_DIR	Path('/home/django/source/protocol-changes/tshilo-dikotla')
CORS_ORIGIN_WHITELIST	None
IGNORABLE_404_URLS	[]
SESSION_ENGINE	'django.contrib.sessions.backends.db'
STATICFILES_DIRS	[]

Setting	Value
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'django_extensions', 'simple_history', 'rest_framework', 'rest_framework.authtoken', 'django_js_reverse', 'django_revision', 'edc_templates', 'edc_identifier', 'edc_lab.lab_packing', 'edc_lab.lab_clinic_api', 'edc_lab.lab_clinic_reference', 'lis.labeling', 'edc_appointment', 'edc_base', 'edc_configuration', 'corsheaders', 'crispy_forms', 'edc_constants', 'edc_content_type_map', 'edc_dashboard', 'edc_data_manager', 'edc_death_report', 'edc_device', 'edc_locator', 'edc_meta_data', 'edc_offstudy', 'edc_registration', 'edc_rule_groups', 'edc_sync_files', 'django_appconfig_ini', 'edc_code_lists', 'edc_visit_schedule', 'edc_visit_tracking', 'call_manager', 'edc_call_manager.apps.EdcCallManagerAppConfig', 'tshilo_dikotla.apps.DjangoCryptoFieldsAppConfig', 'tshilo_dikotla.apps.ConsentAppConfig', 'tshilo_dikotla.apps.EdcSyncAppConfig', 'tshilo_dikotla.apps.TshiloDikotlaConfig', 'td_dashboard.apps.TdDashboardConfig', 'td_infant.apps.TdInfantConfig', 'td_lab.apps.TdLabConfig', 'td_list.apps.TdListConfig', 'registration.apps.RegistrationConfig', 'td_maternal.apps.TdMaternalConfig']
LANGUAGES	(('tn', 'Setswana'), ('en', 'English'))
TRAVIS_POSTGRES	{ 'default': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.mysql', 'HOST': '', 'NAME': 'td', 'PORT': '', 'USER': 'travis'}, 'lab_api': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.mysql', 'HOST': '', 'NAME': 'td_lab', 'PORT': '', 'USER': 'travis'}, 'test_server': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.mysql', 'HOST': '', 'NAME': 'td_test', 'PORT': '', 'USER': 'travis'}}
USE_ETAGS	False
PROJECT_NUMBER	'BHP085'
PROJECT_ROOT	Path('/home/django/source/protocol-changes/tshilo-dikotla')
APP_LABEL	'tshilo_dikotla'
SESSION_FILE_PATH	None
FORCE_SCRIPT_NAME	None
CSRF_COOKIE_PATH	'/'
TEMPLATE_CONTEXT_PROCESSORS	('django.contrib.auth.context_processors.auth', 'django.core.context_processors.debug', 'django.core.context_processors.i18n', 'django.core.context_processors.media', 'django.core.context_processors.static', 'django.core.context_processors.request', 'django.contrib.messages.context_processors.messages')
DISALLOWED_USER_AGENTS	[]
ETC_DIR	Path('/home/django/source/protocol-changes/etc')
APP_NAME	'td'
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
SECURE_SSL_HOST	None
DEFAULT_CHARSET	'utf-8'
TEST_HOSTS	['edc4.bhp.org.bw', 'tdtest.bhp.org.bw']
SESSION_SAVE_EVERY_REQUEST	False
DEFAULT_CONTENT_TYPE	'text/html'
SETTINGS_MODULE	'tshilo_dikotla.settings'
LANGUAGE_COOKIE_DOMAIN	None
PROTOCOL_REVISION	'v1.0'
THOUSAND_SEPARATOR	','
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
SECURE_BROWSER_XSS_FILTER	False
LANGUAGE_COOKIE_NAME	'django_language'
SUBJECT_APP_LIST	['maternal', 'infant']
AGE_IS_ADULT	18

Setting	Value
SITE_CODE	'40'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
SERVER_DEVICE_ID_LIST	[91, 92, 93, 94, 95, 96, 97, 99]
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SESSION_COOKIE_SECURE	False
SECURE_CONTENT_TYPE_NOSNIFF	False
CSRF_COOKIE_AGE	31449600
STATIC_ROOT	Path('/home/django/source/protocol-changes/tshilo-dikotla/tshilo_dikotla/static')
X_FRAME_OPTIONS	'SAMEORIGIN'
SECURE_SSL_REDIRECT	False
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
TEMPLATE_LOADERS	('django.template.loaders.filesystem.Loader', 'django.template.loaders.app_directories.Loader', 'django.template.loaders.eggs.Loader')
SILENCED_SYSTEM_CHECKS	[]
TELEPHONE_REGEX	'^[2-8]{1}[0-9]{6}\$'
STATICFILES_FINDERS	('django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder')
DEFAULT_INDEX_TABLESPACE	''

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.