

MultipleObjectsReturned at /td/section/maternal/word/

get() returned more than one TdConsentVersion -- it returned 3!

Request Method: POST

Request URL: http://127.0.0.1:9000/td/section/maternal/word/

Django Version: 1.9.2

Exception Type: MultipleObjectsReturned

Exception Value: get() returned more than one TdConsentVersion -- it returned 3!

Exception Location: /home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/query.py in get, line 391

Python Executable: /home/django/.virtualenvs/td_protocol_changes/bin/python3.5

Python Version: 3.5.2

Python Path: ['/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/git/ext/gitdb',
 '/home/django/source/tshilo-dikotla',
 '/home/django/.virtualenvs/td_protocol_changes/bin',
 '/home/django/.virtualenvs/td_protocol_changes/lib/python35.zip',
 '/home/django/.virtualenvs/td_protocol_changes/lib/python3.5',
 '/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/plat-x86_64-linux-gnu',
 '/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/lib-dynload',
 '/usr/lib/python3.5',
 '/usr/lib/python3.5/plat-x86_64-linux-gnu',
 '/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages',
 '/home/django/.virtualenvs/td_protocol_changes/src/django-crypto-fields',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-base',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-call-manager',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-code-lists',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-configuration',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-constants',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-content-type-map',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-dashboard',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-data-manager',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-death-report',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-device',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-identifier',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-lab',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-locator',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-notification',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-quota',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-rest',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-rule-groups',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-sync-files',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-sync',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-templates',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-testing',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-visit-tracking',
 '/home/django/.virtualenvs/td_protocol_changes/src/lab-requisition',
 '/home/django/.virtualenvs/td_protocol_changes/src/lis',
 '/home/django/.virtualenvs/td_protocol_changes/src/django-appconfig-ini',
 '/home/django/.virtualenvs/td_protocol_changes/src/edc-visit-schedule',

```
'/home/django/.virtualenvs/td_protocol_changes/src/edc-meta-data',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-registration',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-consent',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-offstudy',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-appointment',
'/home/django/.virtualenvs/td_protocol_changes/src/edc-export',
'/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/gitdb/ext/smmap']
```

Server time: Fri, 3 Aug 2018 10:14:36 +0200

Error during template rendering

In template `/home/django/source/tshilo-dikotla/td_maternal/templates/section_maternal.html`, error at line 0

get() returned more than one TdConsentVersion -- it returned 3!

1	{% extends "section_subject.html"%}
2	{% load admin_urls %}
3	

Traceback [Switch to copy-and-paste view](#)

`/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py` in `_resolve_lookup`

```
883.                 current = current[bit] ...
```

► Local vars

During handling of the above exception ('MaternalEligibility' object is not subscriptable), another exception occurred:

`/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/core/handlers/base.py` in `get_response`

```
149.                 response = self.process_exception_by_middleware(e, request) ...
```

► Local vars

`/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/core/handlers/base.py` in `get_response`

```
147.                 response = wrapped_callback(request, *callback_args, **callback_kwargs) ...
```

► Local vars

`/usr/lib/python3.5/contextlib.py` in `inner`

```
30.                 return func(*args, **kwargs) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/src/edc-dashboard/edc_dashboard/section/base_section_view.py in _view

```
135.         return view(request, *args, **kwargs) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/contrib/auth/decorators.py in _wrapped_view

```
23.         return view_func(request, *args, **kwargs) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/src/edc-dashboard/edc_dashboard/section/base_section_view.py in view

```
134.         return self.view(request, *args, **kwargs) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/src/edc-dashboard/edc_dashboard/section/base_section_view.py in view

```
92.         return render_to_response(self.section_template, self.context, context_instance=RequestContext(request)) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/shortcuts.py in render_to_response

```
45.         using=using) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader.py in render_to_string

```
114.         template_name, context, context_instance, dirs, dictionary) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/engine.py in render_to_string

```
244.         return t.render(context_instance) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render

```
206.         return self._render(context) ...
```

► Local vars

/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render

```
197.         return self.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context)                                     ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context)                                             ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
173.             return compiled_parent._render(context)                               ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.             return self.nodelist.render(context)                                   ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context)                                     ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context)                                             ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
173.             return compiled_parent._render(context)                               ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.             return self.nodelist.render(context)                                   ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.                 bit = node.render_annotated(context)                                     ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.                 return self.render(context)                                             ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
173.                 return compiled_parent._render(context)                               ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.                 return self.nodelist.render(context)                                   ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.                 bit = node.render_annotated(context)                                     ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.                 return self.render(context)                                             ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
173.                 return compiled_parent._render(context)                               ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.                 return self.nodelist.render(context)                                   ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.                 bit = node.render_annotated(context)                                     ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
173.         return compiled_parent._render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.         return self.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
173.         return compiled_parent._render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.         return self.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
69.             result = block.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
69.             result = block.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
69.             result = block.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/defaulttags.py in render
```

```
326.             returnodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/loader_tags.py in render
```

```
209.             return template.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
208.             return self._render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _render
```

```
197.             return self.nodelist.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render
```

```
992.             bit = node.render_annotated(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/defaulttags.py in render
```

```
220.                 nodelist.append(node.render_annotated(context)) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in render_annotated
```

```
959.             return self.render(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/defaulttags.py in render
```

```
319.                 match = condition.eval(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/defaulttags.py in eval
```

```
951.             return self.value.resolve(context, ignore_failures=True) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in resolve
```

```
709.                 obj = self.var.resolve(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in resolve
```

```
850.                 value = self._resolve_lookup(context) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/template/base.py in _resolve_lookup
```

```
891.                 current = getattr(current, bit) ...
```

► Local vars

```
/home/django/source/tshilo-dikotla/td_maternal/models/maternal_eligibility.py in td_consent_version
```

```
151.                 td_consent_version = TdConsentVersion.objects.get(maternal_eligibility=self) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/manager.py in manager_method
122.         return getattr(self.get_queryset(), name)(*args, **kwargs) ...
```

► Local vars

```
/home/django/.virtualenvs/td_protocol_changes/lib/python3.5/site-packages/django/db/models/query.py in get
391.         (self.model._meta.object_name, num) ...
```

► Local vars

Request information

GET No GET data

POST

Variable	Value
search_term	'0020-3'
csrfmiddlewaretoken	'GZtfo0rafRGfPv7diqQzDr50JkoungNGJ'

FILES No FILES data

COOKIES

Variable	Value
csrftoken	'GZtfo0rafRGfPv7diqQzDr50JkoungNGJ'
sessionid	'l64jvldpuaywtfpu7hw4vm4mj66t3dtn'
org.cups.sid	'761eca7cb0803673fe77dcb52eecd338'

META

Variable	Value
HTTP_ORIGIN	'http://td.bhp.org.bw'
wsgi.version	(1, 0)
SERVER_NAME	'127.0.0.1'
unicorn.socket	<socket.socket fd=15, family=AddressFamily.AF_INET, type=SocketKind.SOCK_STREAM, proto=0, laddr=('127.0.0.1', 9000), raddr=('127.0.0.1', 32846)>
wsgi.multiprocess	True
REMOTE_ADDR	'127.0.0.1'
REQUEST_METHOD	'POST'
wsgi.file_wrapper	''
wsgi.url_scheme	'http'
HTTP_HOST	'127.0.0.1:9000'
SERVER_PORT	'9000'

Variable	Value
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
wsgi.errors	<unicorn.http.wsgi.WSGIErrorsWrapper object at 0x7fdbf1835320>
PATH_INFO	'/td/section/maternal/word/'
HTTP_REFERER	'http://td.bhp.org.bw/td/section/maternal/'
HTTP_CACHE_CONTROL	'max-age=0'
RAW_URI	'/td/section/maternal/word/'
SERVER_SOFTWARE	'unicorn/19.8.1'
HTTP_X_FORWARDED_FOR	'10.113.200.178'
HTTP_CONNECTION	'close'
HTTP_ACCEPT_ENCODING	'gzip, deflate'
CSRF_COOKIE	'GZtfo0rafRGfPv7diqQzDr50JkoungNGJ'
CSRF_COOKIE_USED	True
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8'
HTTP_COOKIE	('org.cups.sid=761eca7cb0803673fe77dcb52eecd338; ' 'csrftoken=GZtfo0rafRGfPv7diqQzDr50JkoungNGJ; ' 'sessionid=l64jvldpuaywtfpu7hw4vm4mj66t3dtn')
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_13_0) AppleWebKit/537.36 (KHTML, ' 'like Gecko) Chrome/67.0.3396.99 Safari/537.36')
HTTP_ACCEPT_LANGUAGE	'en-BW,en-US;q=0.9,en;q=0.8'
SCRIPT_NAME	''
REMOTE_PORT	'32846'
wsgi.input	<unicorn.http.body.Body object at 0x7fdbf18352e8>
SERVER_PROTOCOL	'HTTP/1.0'
QUERY_STRING	''
CONTENT_LENGTH	'71'
wsgi.multithread	False
CONTENT_TYPE	'application/x-www-form-urlencoded'
wsgi.run_once	False

Settings

Using settings module tshilo_dikotla.settings

Setting	Value
MIDDLEMAN_DEVICE_ID_LIST	[98]
BASE_DIR	Path('/home/django/source/tshilo-dikotla/tshilo_dikotla')
TELEPHONE_REGEX	'^[2-8]{1}[0-9]{6}\$'
LANGUAGES	(('tn', 'Setswana'), ('en', 'English'))
SESSION_COOKIE_AGE	1209600
CSRF_COOKIE_AGE	31449600
AUTH_PROFILE_MODULE	'bhp_userprofile.userprofile'

Setting	Value
REST_FRAMEWORK	{ 'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework.authentication.TokenAuthentication',), 'PAGE_SIZE': 1 }
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M', '%m/%d/%y']
DATETIME_FORMAT	'N j, Y, P'
GIT_DIR	Path('/home/django/source/tshilo-dikotla')
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
SECURE_SSL_HOST	None
TEMPLATES	[{ 'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [Path('/home/django/source/tshilo-dikotla/tshilo_dikotla/templates')], 'OPTIONS': { 'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages'] } }]
PASSWORD_HASHERS	'*****'
IGNORABLE_404_URLS	[]
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
LANGUAGE_CODE	'en'
INTERNAL_IPS	[]
FIXTURE_DIRS	[]
WSGI_APPLICATION	'tshilo_dikotla.wsgi.application'
APP_LABEL	'tshilo_dikotla'
ABSOLUTE_URL_OVERRIDES	{ }
LABEL_PRINTER_MAKE_AND_MODEL	['Zebra ZPL Label Printer']
SESSION_ENGINE	'django.contrib.sessions.backends.db'
GENDER_OF_CONSENT	['F']
EMAIL_USE_TLS	False
LANGUAGE_COOKIE_NAME	'django_language'
CSRF_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_AGE	None
INSTALLED_APPS	['django.contrib.admin',

Setting	Value
	'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'django_extensions', 'simple_history', 'rest_framework', 'rest_framework.authtoken', 'django_js_reverse', 'django_revision', 'edc_templates', 'edc_identifier', 'edc_lab.lab_packing', 'edc_lab.lab_clinic_api', 'edc_lab.lab_clinic_reference', 'lis.labeling', 'edc_appointment', 'edc_base', 'edc_configuration', 'corsheaders', 'crispy_forms', 'edc_constants', 'edc_content_type_map', 'edc_dashboard', 'edc_data_manager', 'edc_death_report', 'edc_device', 'edc_locator', 'edc_meta_data', 'edc_offstudy', 'edc_registration', 'edc_rule_groups', 'edc_sync_files', 'django_appconfig_ini', 'edc_code_lists', 'edc_visit_schedule', 'edc_visit_tracking', 'call_manager', 'edc_call_manager.apps.EdcCallManagerAppConfig', 'tshilo_dikotla.apps.DjangoCryptoFieldsAppConfig', 'tshilo_dikotla.apps.ConsentAppConfig', 'tshilo_dikotla.apps.EdcSyncAppConfig', 'tshilo_dikotla.apps.TshiloDikotlaConfig', 'td_dashboard.apps.TdDashboardConfig', 'td_infant.apps.TdInfantConfig', 'td_lab.apps.TdLabConfig', 'td_list.apps.TdListConfig', 'registration.apps.RegistrationConfig', 'td_maternal.apps.TdMaternalConfig']

Setting	Value
TIME_ZONE	'Africa/Gaborone'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
TEST_NON_SERIALIZED_APPS	[]
SECURE_REDIRECT_EXEMPT	[]
TEMPLATE_STRING_IF_INVALID	''
SITE_CODE	'40'
TIME_FORMAT	'p'
APPEND_SLASH	True
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
MAX_SUBJECTS	{'infant': 499, 'maternal': 499}
NUMBER_GROUPING	0
LOGIN_URL	'/td/login/'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
PROJECT_NUMBER	'BHP085'
USE_X_FORWARDED_PORT	False
CACHE_MIDDLEWARE_SECONDS	600
SILENCED_SYSTEM_CHECKS	[]
DEFAULT_TABLESPACE	''
ETC_DIR	'/etc'
TEMPLATE_LOADERS	('django.template.loaders.filesystem.Loader', 'django.template.loaders.app_directories.Loader', 'django.template.loaders.eggs.Loader')
EMAIL_TIMEOUT	None
DEFAULT_FROM_EMAIL	'webmaster@localhost'
EMAIL_USE_SSL	False
LOGOUT_URL	'/td/logout/'
APP_NAME	'tshilo-dikotla'
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
USE_X_FORWARDED_HOST	True
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
SHORT_DATE_FORMAT	'm/d/Y'
SESSION_COOKIE_PATH	'/'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
MONTH_DAY_FORMAT	'F j'
INSTITUTION	'Botswana-Harvard AIDS Institute'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
USE_L10N	True
DATABASE_ROUTERS	[]

Setting	Value
SESSION_COOKIE_NAME	'sessionid'
EMAIL_HOST_USER	''
SERVER_DEVICE_ID_LIST	[91, 92, 93, 94, 95, 96, 97, 99]
EMAIL_SUBJECT_PREFIX	'[Django] '
KEY_PATH	'*****'
AGE_IS_ADULT	18
CELLPHONE_REGEX	'^[7]{1}[12345678]{1}[0-9]{6}\$'
LIVE_SERVER	'td.bhp.org.bw'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
ALLOW_MODEL_SERIALIZATION	True
EMAIL_PORT	25
CACHE_MIDDLEWARE_ALIAS	'default'
ROOT_URLCONF	'tshilo_dikotla.urls'
SOURCE_ROOT	Path('/home/django/source/tshilo-dikotla')
CORS_ORIGIN_ALLOW_ALL	True
DISALLOWED_USER_AGENTS	[]
DEFAULT_INDEX_TABLESPACE	''
SETTINGS_MODULE	'tshilo_dikotla.settings'
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
TEMPLATE_DEBUG	False
SESSION_FILE_PATH	None
PREVIOUS_CONSENT_VERSION	'1'
PROJECT_IDENTIFIER_MODULUS	7
SECRET_KEY	'*****'
STATIC_ROOT	Path('/home/django/source/tshilo-dikotla/tshilo_dikotla/static')
STUDY_OPEN_DATETIME	datetime.datetime(2015, 10, 18, 0, 0)
MANAGERS	[]
CORS_ORIGIN_WHITELIST	None
STATICFILES_DIRS	[]
DEVELOPER_HOSTS	['leslie']

Setting	Value
EMAIL_HOST_PASSWORD	'*****'
CSRF_TRUSTED_ORIGINS	[]
FORCE_SCRIPT_NAME	None
CSRF_COOKIE_NAME	'csrftoken'
DEFAULT_CONTENT_TYPE	'text/html'
FIRST_DAY_OF_WEEK	0
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
AUTH_PASSWORD_VALIDATORS	'*****'
DEVICE_ID	99
LOGIN_REDIRECT_URL	'/td/'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SESSION_COOKIE_HTTPONLY	True
USE_TZ	False
EMAIL_SSL_CERTFILE	None
MIDDLEWARE_CLASSES	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.locale.LocaleMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.auth.middleware.SessionAuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware', 'simple_history.middleware.HistoryRequestMiddleware']
LANGUAGE_COOKIE_DOMAIN	None
SECURE_CONTENT_TYPE_NOSNIFF	False
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
TEST_RUNNER	'django.test.runner.DiscoverRunner'
ADMINS	[]
LOGGING	{}
LASTEST_VERSION	'3'
DISPATCH_APP_LABELS	[]
USE_I18N	True

Setting	Value
TEST_HOSTS_POSTGRES	{'default': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.postgresql_psycopg2', 'HOST': '', 'NAME': 'td', 'PASSWORD': '*****', 'PORT': '', 'USER': 'django'}, 'lab_api': {'ATOMIC_REQUESTS': True, 'ENGINE': 'django.db.backends.postgresql_psycopg2', 'HOST': '', 'NAME': 'td_lab', 'PASSWORD': '*****', 'PORT': '', 'USER': 'django'}}
SUBJECT_TYPES	['maternal', 'infant']
SERVER_EMAIL	'root@localhost'
AUTH_USER_MODEL	'auth.User'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
CSRF_COOKIE_PATH	'/'
MEDIA_ROOT	Path('/home/django/source/tshilo-dikotla/tshilo_dikotla/media')
PROJECT_IDENTIFIER_PREFIX	'085'
STATICFILES_FINDERS	('django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder')
FORMAT_MODULE_PATH	None
DEFAULT_STUDY_SITE	'40'
FILE_UPLOAD_TEMP_DIR	None
EMAIL_HOST	'localhost'
FILE_CHARSET	'utf-8'
LOGGING_CONFIG	'logging.config.dictConfig'
IS_SECURE_DEVICE	True
X_FRAME_OPTIONS	'SAMEORIGIN'
DEBUG_PROPAGATE_EXCEPTIONS	False
TEMPLATE_CONTEXT_PROCESSORS	('django.contrib.auth.context_processors.auth', 'django.core.context_processors.debug', 'django.core.context_processors.i18n', 'django.core.context_processors.media', 'django.core.context_processors.static', 'django.core.context_processors.request', 'django.contrib.messages.context_processors.messages')
USE_THOUSAND_SEPARATOR	False
MAXIMUM_AGE_OF_CONSENT	64
STATIC_URL	'/static/'
SECURE_HSTS_SECONDS	0

Setting	Value
TEST_HOSTS	['edc4.bhp.org.bw', 'tdtest.bhp.org.bw']
DEFAULT_CHARSET	'utf-8'
PREPEND_WWW	False
MEDIA_URL	''
DEBUG	True
THOUSAND_SEPARATOR	','
MIGRATION_MODULES	{}
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
MINIMUM_AGE_OF_CONSENT	18
ALLOWED_INCLUDE_ROOTS	[]
SECURE_BROWSER_XSS_FILTER	False
ALLOWED_HOSTS	[]
SUBJECT_APP_LIST	['maternal', 'infant']
DATABASES	{'default': {'ATOMIC_REQUESTS': True, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.mysql', 'HOST': '', 'NAME': '', 'OPTIONS': {'read_default_file': '/etc/tshilo-dikotla/mysql.conf'}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
PROTOCOL_REVISION	'v1.0'
DATE_FORMAT	'N j, Y'
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
USE_ETAGS	False
TEMPLATE_DIRS	()
SOUTH_TESTS_MIGRATE	False
LANGUAGE_COOKIE_PATH	'/'
SECURE_SSL_REDIRECT	False
SESSION_COOKIE_DOMAIN	None
DECIMAL_SEPARATOR	'.'
EMAIL_SSL_KEYFILE	'*****'
CSRF_COOKIE_DOMAIN	None
CRISPY_TEMPLATE_PACK	'bootstrap3'
SECURE_PROXY_SSL_HEADER	None

Setting	Value
CSRF_COOKIE_SECURE	False
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
SESSION_COOKIE_SECURE	False
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
PROJECT_TITLE	'Tshilo Dikotla'
PROJECT_ROOT	Path('/home/django/source/tshilo-dikotla')
LOCALE_PATHS	[]
FILE_UPLOAD_PERMISSIONS	None
PROJECT_DIR	Path('/home/django/source/tshilo-dikotla/tshilo_dikotla')
SESSION_CACHE_ALIAS	'default'
PROTOCOL_NUMBER	'085'
FIELD_MAX_LENGTH	'default'
YEAR_MONTH_FORMAT	'F Y'
SESSION_SAVE_EVERY_REQUEST	False

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.
